

Claudin 1 Recombinant antibody

Cat: B03003L Company: HaoKebio

Uniprot ID: O95832 Applications: IHC:1:50-1:200

Organism:Rabbit IHC-Polymer:1:200-1:800

IHC-TSA:1:250-1:1000

WB:1:500-1:2000

Species reactivity: Human Mouse Rat

Molecular Weight Calculation: 23 kDa

Observed Molecular Weight: 23 kDa

Background:

Claudins are a family of proteins that are the mos t important components of tight junctions, where they establish the paracellular barrier that control s the flow of molecules in the intercellular space between the cells of an epithelium. 23 claudins h ave been identified. They are small (20-27 kiloda lton (kDa)) proteins with similar structures. They have four transmembrane domains, with the N-t erminus and the C-terminus in the cytoplasm. Cl audin-1 is an integral membrane protein expresse d primarily in keratinocytes and normal mammar y epithelial cells. Claudin 1 forms tight junctions with other claudin proteins and plays an important role in the intestinal epithelial barrier.

Protein full name:

claudin 1

Synonyms:

Caudin 1, CLDN1, Claudin-1, CLD1, ILVASC

Immunogen:

Recombinant protein

Isotype:

IgG

Subcellular location:

Membrane

Purity:

Affinity purification

Form:

Liquid

Storage Buffer:

PBS with 0.02%sodium azide,100 $\mu g/ml$ BSA and 50% glycerol.


Storage:

Store at -20 °C for one year.


Experimental procedure:

Antigen retrieval: Citrate buffer (pH 9.0) , Medium high heat for 8 minutes, stop for 7 minutes, medium high heat for 8 minutes. Incubate antibody, 4°C overnight. Secondary antibody: P oly-HRP Goat Anti-Rabbit & Mouse Universal Secondary Antibody, RT, 1h.

Images:



Sample: Mouse intestine, 4% PFA 12-24h



Dilution of 1:2000 incubated at room temperature for 1.5 hou rs.

Source of Reagents:



发表[中文论文]请标注:Claudin 1(B03003L)由 杭州浩克生物技术有限公司提供; 发表[英文论文]请标注:Claudin 1(B03003L) wer e kindly provided by Hangzhou Haoke Biotechno logy Co., Ltd.